



Technical Features

F-LINE 6x2 Road Series



Sharing the load

Technical Features

August 2025

[illegible]

Standard and Optional Features

August 2025

Standard and Optional Features	2533			2633			2645T	
Safety & Technology	Day Cab	Low Roof Sleeper Cab	High Roof Sleeper Cab	Day Cab	Low Roof Sleeper Cab	High Roof Sleeper Cab	Low Roof Sleeper Cab	High Roof Sleeper Cab
Pre-Collision Assist	•	•	•	•	•	•	•	•
Lane Keeping Alert (LDWS)	•	•	•	•	•	•	•	•
Electronic Stability Program (ESP)	•	•	•	•	•	•	•	•
Driver Alert System	•	•	•	•	•	•	•	•
Moving-off Information System (MOIS)	•	•	•	•	•	•	•	•
Rear View Camera	•	•	•	•	•	•	•	•
Blind Spot Information System (BLIS)	•	•	•	•	•	•	•	•
Alcohol Interlock Facilitation	•	•	•	•	•	•	•	•
Traffic Sign Recognition	•	•	•	•	•	•	•	•
Emergency Stop Signal	•	•	•	•	•	•	•	•
Tire Pressure Monitoring System (TPMS)	•	•	•	•	•	•	•	•
Auto High Beam Headlamps	○	○	○	○	○	○	○	○
Pre-Collision Assist with Pedestrian Detection	○	○	○	○	○	○	○	○
Intelligent Adaptive Cruise Control with Stop & Go (iACC)	-	-	-	-	-	-	○	○
Electronic Brake System with ABS & ATC (EBS)	•	•	•	•	•	•	•	•
Retarder	-	-	-	-	-	-	○	○
Diferential Lock	•	•	•	•	•	•	•	•
Interior								
Multimedia System with 9" Touch Screen (DAB Radio, Bluetooth, USB (A Type - C Type), Apple CarPlay, Android Auto, Remote Control)	•	•	•	•	•	•	•	•
Navigation	○	○	○	○	○	○	○	○
Improved Sound and Heat Insulation	•	•	•	•	•	•	•	•
Air Conditioning	•	•	•	•	•	•	•	•
Dry & Wet Type Cab Heater	-	○	○	-	○	○	○	○
Dry Type Cab Heater	-	•	•	-	•	•	•	•
Wet Type Cab Heater	○	○	○	○	○	○	○	○
Dual Passenger Seat	○	-	-	○	-	-	-	-
Driver Seat Armrest	○	•	•	○	•	•	•	•
Adjustable Steering Wheel	•	•	•	•	•	•	•	•
Mattress Topper for Lower Bed	-	○	○	-	○	○	○	○
Driver Seatbelt Warning System	•	•	•	•	•	•	•	•
Double Bed and Upper Storage Area	-	-	○	-	-	○	-	○
Single Bed (Without Upper Storage Areas)	-	•	•	-	•	•	•	•
Power Windows & Remote Height Adjustment	•	•	•	•	•	•	•	•
Rear Window	○	-	-	○	-	-	-	-
Bed Side Remote Control System	-	•	•	-	•	•	•	•
Interior Lighting with Reading and Night Light Functions	-	•	•	-	•	•	•	•
Multi-Function Remote Control Key, 2 pieces	•	•	•	•	•	•	•	•

Standard and Optional Features	2533			2633			2645T	
Exterior	Day Cab	Low Roof Sleeper Cab	High Roof Sleeper Cab	Day Cab	Low Roof Sleeper Cab	High Roof Sleeper Cab	Low Roof Sleeper Cab	High Roof Sleeper Cab
Heated and Electrically Controlled Side Mirrors	●	●	●	●	●	●	●	●
200L Aluminum Fuel Tank (Right Side)	○	○	○	-	-	-	-	-
350L Aluminum Fuel Tank (Left Side) for 4250 mm & 4750 mm Wheelbase	○	-	-	○	-	-	-	-
550L Aluminum Fuel Tank (Right Side)	-	●	●	-	○	○	○	○
Spoiler & Side Extender	-	-	○	-	-	○	-	●
4750 mm Wheelbase	○	●	●	○	●	●	●	●
5200 mm Wheelbase (only with single bunk)	-	-	-	-	-	-	○	○
5500 mm Wheelbase	-	○	○	○	○	○	○	○
7,5 Ton Front Axle Capacity	●	●	●	●	●	●	●	●
8 Ton Front Axle Capacity	○	○	○	○	○	○	○	○
315/60 R 22.5 Tire	○	○	○	○	○	○	●	●
315/70 R 22.5 Tire	●	●	●	●	●	●	○	○
315/80 R 22.5 Tire	○	○	○	○	○	○	○	○
4,11 FDR	●	●	●	●	○	○	-	-
4,375 FDR	○	○	○	○	●	●	-	-
4,63 FDR	○	○	○	-	-	-	-	-
2,64 FDR	-	-	-	-	-	-	○	○
Rear Steerable Axle	-	-	-	○	○	○	○	○
XSS-510 Rear Axle	-	-	-	○	○	○	-	-
Vertical Exhaust	○	-	-	○	○	○	-	-
HVO Compatability	-	-	-	-	-	-	●	●
Engine PTO	○	○	○	○	○	○	○	○
Twin PTO (Low and High Ratio)	○	○	○	○	○	○	○	○
Flange Type Direct Output PTO	○	○	○	○	○	○	○	○
Pump Type Direct Output PTO	○	○	○	○	○	○	○	○
Flange Type Offset Output PTO	○	○	○	○	○	○	○	○
Pump Type Offset Output PTO	○	○	○	○	○	○	○	○
Hydraulic Cab Tilting	●	●	●	●	●	●	●	●
Electrically Operated Cab Tilting	○	○	○	○	○	○	○	○
FL, EX/II & AT Classification ADR Package	○	○	○	○	○	○	○	○
Residual Collection Pack	○	○	○	○	○	○	-	-
Special Residual Collection Pack	-	-	-	○	○	○	-	-
Without Front Spare Tire	○	○	○	○	○	○	○	○
Front Spare Tire / Rim	●	●	●	●	●	●	●	●
LED Headlamps	○	○	○	○	○	○	○	○
Halogen Headlamps	●	●	●	●	●	●	●	●
Rain Sensor & Autolamps	●	●	●	●	●	●	●	●
Adaptive Cruise Control (ACC)	-	-	-	-	-	-	○	○
AGM Battery	○	○	○	○	○	○	○	○
EFB (240 Ah) Battery	●	●	●	●	●	●	●	●

Standard and Optional Features	2533			2633			2645T	
Exterior	Day Cab	Low Roof Sleeper Cab	High Roof Sleeper Cab	Day Cab	Low Roof Sleeper Cab	High Roof Sleeper Cab	Low Roof Sleeper Cab	High Roof Sleeper Cab
Full Trailer - O2 (up to 3,5T towing capability)	○	○	○	-	-	-	○	○
Full Trailer - O3 (up to 10T towing capability)	○	○	○	-	-	-	-	-
Full Trailer - O4 (more than 10T towing capability) (Coupling Pin: 50 mm)	-	-	-	-	-	-	●	●
Full Trailer - O4 (more than 10T towing capability) (Coupling Pin: 40 mm)	-	-	-	-	-	-	○	○
Air Brake Compressor (Double Cylinder)	○	○	○	○	○	○	-	-
Switchable Air Brake Compressor	-	-	-	-	-	-	●	●
Smart Tachograph	●	●	●	●	●	●	●	●
Medium Bumper	●	●	●	●	●	●	●	●
Cold Pack	○	○	○	○	○	○	○	○
Rear Towing Hooks	○	○	○	-	-	-	-	-
Front Towing Hooks	○	○	○	○	○	○	○	○
Beacon Lamp	○	○	○	-	-	-	-	-
Double Roof Beacon Lamp (Passenger Side Lamp & Driver Side Infrastructure)	○	○	○	○	○	○	○	-

● Standard ○ Optional



Dimensions (mm)	2533			2633			2645T	
	Day Cab	Low Roof Sleeper Cab	High Roof Sleeper Cab	Day Cab	Low Roof Sleeper Cab	High Roof Sleeper Cab	High Roof Sleeper Cab	Low Roof Sleeper Cab
Wheelbase (B)	4250	4750	4750	4250	4750	4750	4750	4750
Overall Length (G)	8890	9809	9809	9383	9925	9866	9809	9980
Front Overhang (A)	1437	1437	1437	1437	1450	1437	1437	1450
Rear Overhang (F)	1877	2339	2339	2343	2375	2339	2339	2380
Distance Between 1st and 2nd Wheel Centers (B)	4250	4740	4740	4250	4750	4740	4740	4750
Distance Between 2nd and 3th Wheel Centers (E)	1350	1350	1350	1350	1350	1350	1350	1350
Overall Vehicle Width (Excluding Mirrors) (J)	2540	2540	2540	2540	2540	2540	2540	2540
Overall Cab Length (I)	1744	2215	2215	1777	2226	2226	2226	2226
Total Vehicle Height (H)	3071	3283	3350	2992	3123	3283	3283	3123
Turning Radius	10340	10950	10950	10130	10870	10870	10950	10870
Useful Chassis Length	6573	7202	7202	7053	7125	7150	7202	7130

	Weights (kg)	1st Axle	2nd Axle	3rd Axle	Total	
2533 (Day Cab)	Technically Permissible Weight	7500	12000	8700	25000	
	Kerb Weight	4723	1801	1397	7921	
	Payload	2777	10199	7303	17079	
	Regulatory Permissible Weight	7500	11500	8700	25000	
2533 (Low Roof Sleeper Cab)	Technically Permissible Weight	7500	12000	8700	25000	
	Kerb Weight	5053	1929	1555	8537	
	Payload	2447	10071	7145	16463	
	Regulatory Permissible Weight	7500	11500	8700	25000	
2533 (High Roof Sleeper Cab)	Technically Permissible Weight	7500	12000	8700	25000	
	Kerb Weight	5100	1929	1555	8584	
	Payload	2400	10071	7145	16416	
	Regulatory Permissible Weight	7500	11500	8700	25000	
2633 (Day Cab)	Technically Permissible Weight	7500	11500	7500	26000	
	Kerb Weight	4659	1949	1252	7860	
	Payload	2841	9551	6248	18140	
	Regulatory Permissible Weight	7500	11500	7500	26000	
2633 (Low Roof Sleeper Cab)	Technically Permissible Weight	7500	11500	7500	26000	
	Kerb Weight	4873	1968	1375	8216	
	Payload	2627	9532	6125	17784	
	Regulatory Permissible Weight	7500	11500	7500	26000	
2633 (High Roof Sleeper Cab)	Technically Permissible Weight	7500	11500	7500	26000	
	Kerb Weight	4920	1968	1375	8263	
	Payload	2580	9532	6125	17737	
	Regulatory Permissible Weight	7500	11500	7500	26000	
2645T (High Roof Sleeper Cab)	Technically Permissible Weight	7500	11500	7500	26000	
	Kerb Weight	5510	1744	1563	8817	
	Payload	1990	9756	5937	17183	
	Regulatory Permissible Weight	7500	11500	7500	26000	
2645T (Low Roof Sleeper Cab)	Technically Permissible Weight	7500	11500	7500	26000	
	Kerb Weight	5463	1744	1563	8770	
	Payload	2037	9756	5937	17230	
	Regulatory Permissible Weight	7500	11500	7500	26000	

*The kerb weight data includes a 90% full fuel tank, other fluids, tools, a spare tire, and a driver weighing 75 kg. Weight values may vary depending on the vehicle configuration.

This leaflet includes products designed for Ford vehicles. It provides information about the current technical specifications and the standard or optional accessories available as of the date it was issued. Features of standard and optional accessories of the vehicles may be changed from time to time. For this reason, please consult our Authorized Dealers to obtain updated and accurate information on the features of the vehicle you wish to buy. For the aforementioned reason, this leaflet does not constitute an assurance as to the specifications listed herein. The images used in this leaflet may be different from the vehicles on sale. The technical specifications provided herein are for standard vehicles. Selection of any optional accessories might cause differences from these specifications.

